

A THESIS FOR THE PRESSROOM

HEARTBEAT

of the Press

Why anilox intelligence, and who owns the data,
will decide the next decade of flexo.

FOR EVERYONE THE FLOOR TOUCHES.
HELPER TO OWNER. AND THE INDUSTRY.

ANILOX ROLL · CELL STRUCTURE AT FACE

800 LPI · 2.4 BCM
AS ENGRAVED · MONTH 00

VOL.

THE DRIFT

MONTH 09 · BELOW THRESHOLD
NO RECORD KEPT · INVISIBLE

ANILOX LIFECYCLE · WASH VERIFICATION · DATA SOVEREIGNTY ON THE SHOP FLOOR · VOLUME LOSS · UNMEASURED

Contents

FOLIOS FOLLOW THE ARGUMENT, NOT THE SHEET: 02 TO 04 STAND ALONE, AND EVERY FOLIO FROM 05 OPENS A TWO-PAGE SPREAD. TWENTY-SEVEN PAGES.

•	HOW TO READ THIS	03
	We Use Your Stack Light, Not Our Palette	
	Six colours, one job each. Taken from the standard your machines already use.	
00	STATEMENT OF INTENT	04
	Everything Is Awake But the Pressroom	
	Why the one room with a beating heart is still on a clipboard.	
01	LEAD THESIS	05
	The Heartbeat of the Press	
	Everyone calls the anilox the heart of the press. Almost no one measures it.	
02	ECONOMICS	07
	The Hidden Ledger	
	The rejected job is the visible tip. The real cost came months earlier.	
•	THE RECEIPTS	09
	Four numbers, and one of them argues against us	
	Every figure in this issue, sourced. Including the one that cuts the wrong way.	
03	THE AUTOMATION QUESTION	11
	The Machine Doesn't Know the Exception	
	Employment is falling. Judgment is not the thing being automated. Both halves of the evidence.	
04	COEXISTENCE	13
	What AI Is Actually For	
	Thirty percent better on the right work. Nineteen points worse on the wrong work.	

05	OWNERSHIP	15
	Whose Data Is It Anyway?	
	Ninety-two percent of AI contracts want your data. Ask who owns yours.	
06	WHO BUILDS IT	17
	Built by the People Who Ran It	
	Seven in ten rollouts miss what they promised. The diagnosis is never bad code.	
07	FROM THE FLOOR	19
	The Questions Nobody Could Answer	
	Questions the floor asks, taken to the people who sell the equipment.	
08	WHAT'S NEXT	21
	The Instrumented Pressroom	
	From hunting defects to managing condition. Edge over cloud, by design.	
09	THE FOUNDATION	23
	Your Operators Ask Why. So Did We.	
	Page 17 makes a claim. This is the proof, and why it is thin on the ground.	
10	CLARITY	25
	The Questions We Get in the Parking Lot	
	Plain, honest, straightforward - set in print so you can hold us to them.	

FROM THE EDITOR

This magazine argues one thing: the most important variable in your pressroom has no memory, and it should. Nothing in these pages was paid for. Where we make a claim, we cite who says so, including the numbers that cut against us. It's simply what we believe after spending time where flexo actually happens - on the floor.

Full disclosure, up front and in small type, so you can weigh everything that follows: 27 Creative Studio builds a system for this problem. We have kept it out of the argument. You will not meet it until page 21, after the case has been made without it. If the thinking does not stand on its own by then, the product does not deserve your attention either.

- K. LAPIRA • 27 CREATIVE STUDIO

A NOTE ON COLOUR

We Use Your *Stack Light*, Not Our Palette

Colour in this magazine is not decoration. It carries the same meaning it carries on your floor because it's taken from the standard that governs the indicator lights on your own machines. Six colours, one job each. A colour appears on these pages only when its condition is literally true.

The tower light on your press already taught you a language. Red stops you. Amber makes you look. Green means carry on. That grammar is not folklore, it is written down: IEC 60204-1, the international standard for the electrical equipment of machines, assigns those meanings to indicator lights in its Table 4. Rather than invent a house palette and ask you to learn it, we borrowed the one you have used for twenty years.

**RED****Critical. Stop.**

Fault, damage, out of spec, replace now. The condition that halts work or should.

IEC 60204-1: EMERGENCY • IMMEDIATE ACTION

**AMBER****Attention. Not yet critical.**

Abnormal, drifting, marginal, inspect soon. The warning you still have time to act on.

IEC 60204-1: ABNORMAL CONDITION • MONITORING AND INTERVENTION

**GREEN****Ready. Normal.**

In spec, healthy, cleared to run. The resting state, and the one a floor should mostly live in.

IEC 60204-1: NORMAL CONDITION • ACTION OPTIONAL



BLUE

A person must act.

Mandatory step, operator intervention, your call to make.
Blue is never the machine deciding. It is the machine asking.

IEC 60204-1: MANDATORY ACTION



GREY

No data. Unmeasured.

Offline, never recorded, nobody knows. Grey is the absence of a signal, and on most floors today the anilox lives here permanently.

ANSI Z535.1 REMOVED GREY AS A HAZARD COLOUR - IT SIGNALS NOTHING ON PURPOSE



GOLD

Benchmark. Proven.

The reference number, the verified result, the standard worth hitting. Gold is never an alert and never a warning. It is what good looks like when someone measured it.

NO SIGNAL STANDARD DEFINES GOLD - ITS MEANING IS EARNED, NOT ASSIGNED

THREE HONEST NOTES ABOUT THIS KEY

The stack light is convention, not law. IEC 60204-1 genuinely governs indicator lights on machines. Your andon tower is a different animal. The old North American colour codes were withdrawn, and vendors now say plainly that you, the end user, decide what each lamp means. Practice splits: some manufacturers use green for "run", others red. So we are following a strong, near-universal convention. We are not dressing it up as a legal standard.

Flexo already has a version of this, and it did not come from a standards body.

You may already use the green, yellow, and red roll-tagging system: ready rolls get green, inspect gets yellow, damaged gets red. It traces back to guidance from Bill Poulson, a technical advisor at Harper, later republished by distributors. It is well established and widely followed. It is not a published FTA or TLMI standard, and we are not going to claim it is.

Colour alone is never enough, and here is the arithmetic. Up to eight percent of men have a red-green colour deficiency - one in twelve - and about one in two hundred women. Worse, in the tones this magazine prints, red and green sit at a luminance ratio of about 1.1 to 1 - nearly identical in brightness. Hue fails them, and so does lightness. So every signal here carries a glyph and a word, never the colour alone. If you photocopied this page in black and white, the meaning would survive. That is the test, and it is the same test your floor should apply to any screen you put in front of an operator.

HEY FLEXO!

WHERE THIS IS GOING • A STATEMENT OF INTENT

Everything Is *Awake* But the Pressroom

This is the age of data consciousness. Your watch tracks your pulse. Your car remembers every mile. A doorbell holds more memory than most machines had a generation ago. Factories run digital twins. Software watches software. The whole world has grown aware of itself, and the awareness is only accelerating.

Then you walk onto a press floor. And the most important component in the building - the heart of the process, the roll that decides every colour that leaves the plant - is tracked on a clipboard. If it is tracked at all.

The building already keeps records.



THE HEART OF THE PROCESS DOES NOT.

Not a decade behind.

AN ERA BEHIND.

And here is the part nobody says out loud: it is worse than reactive. The comfortable story is that shops catch these things after the fact. But after the fact assumes someone wrote the fact down. Mostly, no one did. The run went long. The shift changed. The moment passed. Everyone forgot. So the correction that was supposed to come late never comes at all. On that floor it is not proactive versus reactive. It is proactive versus amnesia.

That is the gap, and it is not new. For decades the methods changed and the waste stayed. An entire era of awareness has arrived everywhere except the one room where the heart actually beats. We are not waiting for it to trickle down. We are going after it, on purpose. And we are doing it the right way: awareness the shop owns, not awareness the shop rents. Consciousness that lives on the floor, in the operator's hands, on hardware the plant controls - not siphoned to a cloud owned by whoever bought whoever last. You do not have to surrender the floor to wake it up.

One thing this magazine will not do is join the chorus telling you a machine is about to do your job. That story is being sold hard right now, and the evidence does not support it. What the evidence supports is stranger and more useful. Automate the routine and the human's remaining work gets harder, rarer, and more valuable, not less. The machine is very good at remembering ten thousand rolls. It has no idea which of them matters tonight. You do. That is not a consolation prize. That is the arrangement, and the plants that understand it will run circles around the ones that don't.

The clipboard was the last honest tool of a pre-conscious pressroom. It served. Its time is over. The floor is about to remember everything, on its own terms.

THE ARGUMENT

The *Heartbeat* of the Press

Everyone agrees the anilox is the heart of the process. Almost no one measures it. That contradiction is the most expensive habit in flexo - and the cheapest one to fix.

Ask anyone who has run a flexo press what matters most, and eventually they'll say the same thing: the anilox is the heart of the press. The people who engrave those rolls for a living call it exactly that - the heartbeat. It is the one component that decides how much ink reaches the plate. That decides how the colour builds. How the solids lay down. How the vignettes fade. And whether the job on press tonight looks like the job you approved last month. Everyone agrees on this. And almost no one measures it.

That is the strange, expensive contradiction at the centre of our industry. We instrument almost everything else. Presses have servo drives and touchscreens. Prepress has colour management and 1:1 plate imaging. Inspection cameras count defects at full web speed. But on most floors, the single component everyone calls the heart of the process is tracked by someone's memory, a grease pencil, and a binder that hasn't been updated since the last operator quit.

*An anilox roll does not fail loudly.
It fails while nobody is measuring.*

THE PHYSICS OF THE PROBLEM

Here is what that costs, and why it hides. A roll loses cell volume gradually - to plugging, to wear, above all to handling damage - and the suppliers themselves disagree on where to act. By the time the defect is visible on press, the loss has been building unrecorded. You didn't lose the money on the job that got rejected. You lost it on every job before it, where the operator was quietly pushing more ink, more impression, more pressure to compensate - burning material, time, and the roll itself, to hide a problem no one could see.

Small deviations lead to catastrophic loss.

THE UNMEASURED SLOPE · FIG. 01 OVERLEAF


The failure has no face.

FIG. 01

CELL SECTION · SCHEMATIC, NOT TO SCALE


A · AS ENGRAVED

MONTH 00 · VOLUME AT SPEC



B · AFTER SERVICE

MONTH 09 · NO RECORD KEPT



THE PRESS CANNOT TELL YOU WHICH ROLL IT IS RUNNING. THE OPERATOR COMPENSATES FOR THE DIFFERENCE.
B LOOKS IDENTICAL TO A FROM TWO FEET AWAY.

A roll well below spec volume is visually indistinguishable from a new one on the rack. The land wears, dried ink builds in the cell floor, and the ink film thins as the cells give up volume. Nothing announces it. The operator adds ink, adds impression, and buys back the density by hand, run after run, until the day the compensation runs out.

And it compounds. The first symptom of a plugged or worn roll is a drop in colour strength. By then you're troubleshooting the wrong things - ink, plate, blade - because the actual variable, cell volume, is the one thing you have no history for.

The industry's answer, so far, has been to clean more and audit occasionally. Good advice - nobody has a record of whether it happened, or when. But cleaning without measurement is faith, not process. That is the whole thesis in one line:
the anilox needs a memory.

THE BLIND SPOT GREY

Why cleaning without measurement is faith, not process

On the high-line rolls that narrow-web shops live on - 800-plus LPI - a brush physically cannot reach the bottom of the cell. You cannot see the problem. You cannot feel it. You can only measure it, and remember it.

Did the wash happen at end of shift, or get skipped when the run went long? Did it restore volume, or just move dried ink around? Without a record, every answer is a guess.


Not a better cleaner. Not a fancier engraving. A record - of every roll, every wash, every volume reading, every job it ran, handed cleanly from shift to shift and kept for the life of the roll. The moment an anilox has a memory, three things change. Volume decay becomes visible before it becomes a reject. Wash compliance becomes a fact, not a hope. And resurface-or-replace becomes a planned decision, not an emergency.

*None of this requires the cloud.
In fact, it argues against it.*

ON ARCHITECTURE

Which brings us to the second half of the argument, the one this industry is only starting to have out loud: who owns the data your press floor generates? That record took real work to build. It is not a byproduct of running the job. It should live where you decide it lives, and it should belong to you, unconditionally. If the internet goes down, your press floor should not. If a vendor changes hands, your data should not change hands with it. Page 15 makes that case properly.

So here is the verdict. The anilox is the heart of the press. A heart with no monitor is a liability. The fix is not more product on the floor - it's a memory for the one component that never had one, built to run where the work actually happens, owned by the people who actually do the work. The shops that instrument the anilox will stop paying the hidden tax of invisible volume loss. The shops that also keep that data sovereign will still own their hardest asset ten years and three acquisitions from now. The technology to do this is no longer exotic. That's the subject of the rest of this issue.



THE REAL COST

The Hidden *Ledger*


The rejected job is the number everyone sees. It is the smallest entry on the page. The real ledger is written in the months before it - in ink, makeready, and roll life you never charged to anyone.

Walk any pressroom manager to the reject bin and they can tell you what the last bad run cost. It's a real number, and it stings. But it is the wrong number to be looking at. The reject is the moment the problem finally became visible. That's the day cumulative volume loss on a roll crossed a threshold. Past that point, the press could not lay down enough ink to hit target density - no matter what the operator did. The cost did not start that day. It started months earlier, and it was invisible the entire time.

Picture a single high-line anilox coming off a fresh engraving at full specified volume. It runs well. Nobody thinks about it. Somewhere around the third or fourth month, cell walls have picked up a skin of dried ink and coating wear has begun, and effective volume is down a handful of points. The press hasn't rejected anything. But the operator - a good one - has quietly started compensating: a touch more ink, a little more impression, a small pressure adjustment to keep density on aim.

FIG. 02

VOLUME DECAY · ILLUSTRATIVE MODEL



The hidden slope. Volume loss raises no alarm until it crosses a re-engrave threshold - and the published thresholds disagree: about 7 percent (Pamarco), 10 (ARC, Aalberts), 15-18 cell wear (Harper), while Apex publishes no single figure without press data. The waste accrues in the shaded zone - where the operator is compensating - long before the reject ever prints.

Every one of those compensating runs used more ink than the job was quoted at. Every makeready took a little longer because the target kept moving. Running impression high to force density wears plates and shortens the life of the very roll that's failing. None of it hit a report. None of it was charged to a customer. It was simply absorbed - a standing tax on the whole operation, paid in materials and minutes, invisible because there was no baseline to measure it against.

Every serious floor has a densitometer. Plenty now have a spectrophotometer and a delta-E tolerance printed on the job ticket. Those are good instruments and they are not what is missing.

They read the sheet in front of you, tonight. They will tell you the solid is light, precisely, to two decimals. They cannot tell you the roll has been quietly giving up volume since the last time this job ran.

Here is what that looks like at three in the morning. The job matched three months ago. Same ink, same plate, same press, same operator. The roll was cleaned before the run. It comes up light. The densitometer confirms it, and then the hunt starts: ink specs, plate wear, blade pressure, impression. Everything gets checked except the one variable nobody has a number for over time. The roll passes inspection because a worn roll looks like a clean roll, and the wash was done properly, so the roll is the last place anyone looks.

THE 3 A.M. HUNT • WHAT GETS CHECKED

INK SPECS	✓ CHECKED
PLATE WEAR	✓ CHECKED
BLADE PRESSURE	✓ CHECKED
IMPRESSION	✓ CHECKED
THE ROLL	- NO NUMBER OVER TIME

THE LAST PLACE ANYONE LOOKS.

7 - 18%

WHERE THE PUBLISHED THRESHOLDS SIT · THE SLOPE UNMEASURED

EVERY ENTRY UNBILLED

AS MODELLED · FIG. 02

The instrument has a memory. It is not the one you need. A modern densitometer stores readings, jobs and tolerances, and it will export the lot. Every number in it describes ink on substrate at a moment. None of them is attached to a roll. Nothing in that log says which anilox was in the deck, when it was last washed, or what it read a quarter ago. It remembers its own readings faithfully. It does not know what produced them.

WHAT A MEMORY RECOVERS

15%

VOLUME DROP WHERE MANY SHOPS RESURFACE

With a recorded volume history, that decision stops being a guess made at the reject bin. You see the slope. You plan the resurface between jobs, order the swap, and never enter the compensation zone at all.

0

REPORTS THAT CURRENTLY CAPTURE THIS
The hidden ledger has no line item today. The reorder gets a PO; the decay never does. That is precisely why it stays hidden - and precisely what a roll-level record makes visible.

This is why "clean more" and "audit occasionally," while correct, don't close the gap. An audit is a snapshot; the tax is a slope. You cannot manage a slope you only sample twice a year, and you cannot bill back a cost you never measured.

The point of a memory is not paperwork. It is turning an invisible, continuous loss into a visible, planned decision - resurface here, replace there, verified clean at this timestamp - before the money leaves the building.

An audit is a snapshot of what's already gone.

ON AUDITS

In flexo, you can't even measure what you don't remember. Give the roll a memory and the hidden ledger stops being hidden. That's the entire return on the idea.

AS POSTED · THE FOUNDER · LINKEDIN

That's a slope. Your audit is two dots on it, six months apart.

YOU CANNOT MANAGE



WHAT YOU DON'T MEASURE.

Zero visibility is a hidden ledger.

LEDGER

AWARENESS IS A POWERFUL TOOL.

The past kept clipboards. The present keeps records.
The future keeps the **HEARTBEAT**. —

Four numbers, and one of them argues against us.

18%

✗ RED

ARGUES AGAINST US · PROJECTED DECLINE · US PRINTING
EMPLOYMENT · 2023 TO 2033

This is the number that cuts against everything we sell. The trade is contracting. We print it first, on purpose, because you would find it anyway.

OREGON EMPLOYMENT DEPT, CITING FEDERAL PROJECTIONS

1.9M

✓ GOLD

MANUFACTURING ROLES THAT MAY GO UNFILLED
BY 2033

Of 3.8 million jobs needed through 2033, roughly half - as many as 1.9 million - may go unfilled. The threat to your floor is not a robot. It is a birthday.

DELOITTE AND THE MANUFACTURING INSTITUTE, 2024

30/19

✓ GOLD

PERCENT BETTER ON THE RIGHT WORK · PERCENTAGE POINTS WORSE
ON THE WRONG WORK

Same tool, same people, opposite result. The entire difference was a human who knew which was which. That human has ink on their hands.

HARVARD, WHARTON, MIT AND BCG · 758 CONSULTANTS · 2023, PUBLISHED 2026

92%

! AMBER


OF AI SOFTWARE CONTRACTS CLAIMING RIGHTS
TO YOUR DATA BEYOND THE SERVICE

Against a market average of 63 percent. Some permit use of your data for competitive intelligence outright. Read the document you signed.

STANFORD CODEX WITH TERMSCOUT

THE OPERATOR

The Machine Doesn't Know the *Exception*



Every operator has quietly done this math. Here is the honest answer, evidence first: the machine is coming for the routine, and a pressroom does not run on routine. But we are not going to pretend the industry isn't shrinking. Because it is.

Start with the uncomfortable half, because a magazine that only tells you what you want to hear is a brochure. Printing employment is falling. Citing federal projections, the Oregon Employment Department puts it plainly: national employment in printing and related support activities is expected to decline by roughly 18 percent between 2023 and 2033. That follows an 18 percent drop in the decade before it. Anyone who tells a press operator that technology poses no risk to this trade is selling something.

Now the half nobody says out loud. The thing eroding those numbers is not an intelligent machine that learned to run a press. It is market share moving to other media, plus decades of mechanical automation. And the work that remains is precisely the work automation is worst at.

This is not a hunch. It is one of the oldest findings in the field, and it has held up for forty years. In 1983, in the journal *Automatica*, Lisanne

Bainbridge published a paper called the Ironies of Automation. Her insight was almost perverse: the more you automate the easy parts of a process, the more critical and more skilled the human's remaining job becomes. She wrote that when the operator has to take over, something is probably already wrong with the process.

That means the operator needs to be more skilled, not less. Automate the routine and you have not removed the human. You have concentrated the human into the hard part.

Automate the easy ninety percent and you have not deleted the operator. You have distilled them.

THE IRONY THAT HAS HELD SINCE 1983

The pressroom is that argument in physical form. The routine is dosing, sequencing, registration, the mechanics a machine handles beautifully. Then there is the exception - and by exception we do not mean a job the rules leave out, we mean the job the rules never saw coming.

It looked fine at setup and is drifting at hour six, ink behaving differently because the room is humid, a roll that reads clean and prints wrong. It is the different sound the press makes when something is off, the one an operator hears before any gauge moves, because the ear that has run ten thousand jobs is not a thing you can install. That's a judgment call, made with your hands, on a substrate that is moving. It is the last thing on the automation list, not the first.

THE RECEIPTS x RED

When a full-automation bet went the other way

Tesla, 2018. Tesla pushed automation hard on the Model 3 general assembly line, building what was described as a crazy, complex network of conveyor belts. Then Elon Musk reversed course in public: "Excessive automation at Tesla was a mistake ... Humans are underrated."

The World Economic Forum, 2025. Its Future of Jobs report is built on more than a thousand employers across 55 economies. By 2030, it projects 170 million roles created against 92 million displaced - a net gain of 78 million. Its joint work with Indeed's Hiring Lab, assessing more than 2,800 skills, found the same wall in the skills that need hands: generative AI cannot do work requiring physical presence.

Which brings us to the threat that is actually at your door, and it is not a robot. It is a birthday. A Graphic Communications Workforce Coalition survey found 36 percent of the industry's workforce aged 51 to 60 as far back as 2016 - a cohort now at or past retirement age - and the pipeline behind them is thin. Across manufacturing, Deloitte and The Manufacturing Institute put the need at 3.8 million jobs through 2033, and roughly half of them - as many as 1.9 million - could go unfilled.

Read those two facts together and the real picture appears. The industry is not losing operators to machines. It is losing them to time, and taking thirty years of undocumented judgment out the door with each one. The plant that automates its way out of that is chasing the wrong problem. The plant that captures it before it walks is solving the right one.

So the operator question has an answer, and it is not a comforting slogan. The only real question is whether the plants that survive will own the intelligence their people spent careers accumulating, or rent it back from whoever wrote it down first.

THE TRADE IS CONTRACTING.

THE OPERATOR'S JUDGMENT IS NOT.

THE RIGHT FRAME

What AI Is *Actually* For

The best evidence for putting humans and machines together arrives with a warning label, and the warning label is the most useful part. Used on the wrong work, the machine makes you worse. Someone has to know the difference. That someone has ink on their hands.

In 2023, researchers from Harvard, Wharton and MIT, working with Boston Consulting Group, ran a pre-registered experiment on 758 consultants, which is a serious sample for this kind of work. Inside the boundary of what the AI was good at, the people using it completed 12.2 percent more tasks, worked 25.1 percent faster, and produced work rated more than 30 percent higher in quality. Enormous. The kind of number that sells software.


Then the researchers did the honest thing and tested a task deliberately chosen to sit outside the machine's competence. The people using AI were 19 percentage points less likely to get it right, on a task built specifically so the machine would get it wrong. Same tool. Same people. Opposite result.

The researchers named the problem the "jagged technological frontier", because the edge of a machine's ability is not a clean line you can see. It is a ragged coastline, and it is invisible from the inside.

The machine made them thirty percent better on the right work and nineteen points worse on the wrong work. The entire difference was a human who knew which was which.


HARVARD, WHARTON, MIT AND BCG, 758 CONSULTANTS, 2023

✓ GOLD




Sit with what that means on a press floor. The value of an intelligent system is not the intelligence. It is the pairing. Deployed where it is strong, it is a real multiplier. Deployed where it is weak, by someone who cannot tell the difference, it confidently makes things worse.

Medicine has already run this experiment at scale, on far higher stakes than a print job. Three commercial AI systems alone were set against radiologists who had those AI results in hand. The pairing beat the machine alone on every axis: sensitivity 98.91 against 95.91, specificity 99.83 against 87.35, accuracy 99.53 against 90.11. The widest gap was in false alarms.



TWO BLINDNESSES, CANCELLING OUT



The judgment about where to trust it is the whole ballgame, and that judgment is not a feature you can buy. It is an operator with twenty years on the same press.

FIG. 04

3,409 SCANS · 67 ORGANISATIONS · JOURNAL OF CLINICAL MEDICINE, 2025

THE HUMAN MISSED

12

CASES



MACHINE CAUGHT

ALL TWELVE



MISSED BY BOTH

0

TWO BLINDNESSES,
CANCELLING OUT

THE MACHINE MISSED

45

CASES



HUMAN CAUGHT

ALL FORTY FIVE



NOT ONE SYSTEM CHECKING ANOTHER. TWO DIFFERENT KINDS OF BLINDNESS.
THIS IS THE ARGUMENT FOR COEXISTENCE, IN ONE STATISTIC.

The AI working by itself was accurate 90.11 percent of the time. The radiologists were accurate 99.53 percent. The machine did not close that gap. What it caught were the twelve cases the radiologists missed. Put an operator next to a system that remembers every roll and you get the same effect on a press floor.

So what is AI actually for, on a floor like yours? It is for the things that are boring, endless, and beneath a skilled human: remembering every roll, every wash, every job, every volume reading, across years, without fatigue and without favourites. Pattern across thousands of records is what a machine does effortlessly and what a person cannot do at all.

McKinsey's work on predictive maintenance puts the typical payoff of exactly this capability at 30 to 50 percent less machine downtime and 20 to 40 percent longer machine life. Deloitte carries an industry figure of roughly 50 billion dollars a year in unplanned downtime across industrial manufacturers.

And what is it not for? Deciding. Judging. Being accountable at 3 a.m. when the job is drifting and the call is yours. That is not a limitation we are

apologizing for. It is the design.

What we built is built on that division of labour, deliberately. The machine remembers, so the operator can decide. Human ingenuity and machine memory are not competitors for the same chair. Put them together honestly and you get something neither one is alone. Take the operator out and you have a confident system with no idea where its own frontier ends.

30-50%

LESS DOWNTIME

20-40%

LONGER MACHINE LIFE

MCKINSEY · PREDICTIVE
MAINTENANCE

\$50B

A YEAR IN UNPLANNED
DOWNTIMEDELOITTE · INDUSTRIAL
MANUFACTURERS

DATA SOVEREIGNTY

Whose Data *Is It* Anyway?

This is not a fear-mongering piece. It is a simple question every independent converter should answer on purpose, before the answer gets made for them: when your software vendor is acquired, who owns your floor data?

Look honestly at the last five years of this industry and one word describes it: consolidation. The two largest prime-label companies were combined into a single roughly three-billion-dollar entity spanning around a hundred plants. Regional converters have been bought, merged, and bought again by private equity. There is nothing wrong with growth. But it should make every independent shop owner pause before pouring years of operational data into a platform owned by someone whose business model is to be acquired.

Most print-shop software today is cloud-first by default. Your prepress lives in someone's cloud. Your MIS lives in someone's cloud. And increasingly, the pitch is to put your pressroom performance data there too - anilox records, run histories, quality metrics - on a platform you rent but do not control.

The convenience is real. So is the exposure, and the exposure now has a price tag.

IBM's 2024 breach research, conducted with the Ponemon Institute across 604 organisations, found the global average breach cost 4.88 million dollars, the sharpest rise since the pandemic.

Two findings inside it should stop a plant owner cold. Breaches involving data scattered across multiple environments - public cloud, private cloud, and on-premises at once - cost more than 5 million dollars and took the longest to identify and contain - 283 days. The industrial sector took the largest single-year jump of any sector: up 18 percent, to 5.56 million per breach. That's about 14 percent above the global average of 4.88 million. Industrial organisations also took the longest to notice: about 199 days to identify a breach, and another 73 to contain it. Three-quarters of a year inside your systems.

FIG. 05

THE BREACH CLOCK

199 DAYS TO NOTICE

73 TO CONTAIN

272 DAYS · THREE-QUARTERS OF A YEAR INSIDE YOUR SYSTEMS

IBM AND PONEMON · 604 ORGANISATIONS · 2024

Your anilox history is not marketing exhaust. It is the accumulated fingerprint of your presses, your inks, your people.

THE ASSET NOBODY ITEMIZES

Here's what "cloud-first" quietly means for an independent. Your data's availability depends on your connection and their uptime. Its portability depends on their export tools and their goodwill. And its ownership - the part that matters most - depends on a terms-of-service document that can change when the company changes hands.

When the platform gets rolled into a larger group, possibly one that also owns shops you compete with, the numbers that describe how your floor actually runs are sitting inside their walls.


And those documents are not neutral. An analysis out of Stanford's CodeX center, working with TermScout, a contract-analysis vendor with a stake in the answer, found that 92 percent of AI software contracts claim rights to use customer data beyond what delivering the service actually requires. The market average is 63 percent. Some permit use of customer data for competitive intelligence

outright. Only about a third of AI vendors offered any protection against third-party intellectual property claims.

In February 2024, Federal Trade Commission staff warned that a company quietly revising its terms to permit AI training on data collected under an earlier promise may be committing an unfair or deceptive act. That warning exists because the pattern keeps surfacing. In November 2025 a customer filed a proposed class action in federal court against Figma, alleging the company used customer design files to train generative models without adequate consent. Figma says it trains only with authorization, de-identified and aimed at general patterns - though on its lower tiers that authorization arrives as a setting switched on by default. In May 2026 the court sent the claims to arbitration without ruling on the merits. The allegation is unproven - but that it is arguable is the point. Adobe rewrote its terms after a 2024 backlash. HubSpot went further in July 2026, reversing a terms change in four days.

WHAT THE CONTRACTS CLAIM

AI SOFTWARE  92%

MARKET AVERAGE  63%

RIGHTS TO YOUR DATA BEYOND THE SERVICE
STANFORD CODEX WITH TERMSCOUT

Now the part that should genuinely change how you think about this, because it is not marketing. It is law. Under the Defend Trade Secrets Act, information is only a protected trade secret if its owner has taken reasonable measures to keep it secret. That is the statutory test. Your ink formulations, your setup methodology, your hard-won anilox knowledge: these stay trade secrets only for as long as you can show what you did to keep them.

Now consider what that means for material parked on hardware operated by third parties you do not control. It does not destroy the claim. It makes it harder to prove. The plant that keeps its process knowledge inside the building is not being paranoid. It is satisfying a legal standard.


THE STATUTORY TEST - 18 U.S.C. 1839(3)(A)

"the owner thereof has taken reasonable measures to keep such information secret"

DEFEND TRADE SECRETS ACT - AS ENACTED

General information, not legal advice. What counts as reasonable is decided case by case - ask your own attorney.

THE RECORD, KEPT INSIDE



REASONABLE MEASURES

18 U.S.C. 1839(3)(A)

THE HEARTBEAT OF THE PRESS

HEARTBEAT-01 • 27CS • LAKELAND FL • SHEET 22

A MODEL, NOT A RESTRICTION

→ BLUE

Three tiers. One principle: the shop owns the shop's data.

Every tier ships with the box. The record always sits on hardware you own, inside your building. The tiers only decide how far it is allowed to reach.

Tier 1 - Airgapped. The box and its tablets on their own sealed network. No route to plant IT, no route to the internet. Nothing leaves the building.

Tier 2 - Plant network. The box on your own LAN, reachable anywhere in the building, every press sharing one record. Still no route out.

Tier 3 - Secure remote. The same box, reachable from off-site on your terms, only when you choose to.

Cloud is an option, never a tier. If you want one, it is your instance and it mirrors your box. The box stays the original. Take the cloud away and you have lost nothing.

Then there is the exit. Ask any vendor what happens to your data on the day you leave, and watch how long the answer takes. This concern is not fringe, and you do not have to take our word for it, because legislators took the trouble to write it down.

EGRESS B



15 • FEATURE 05 • 3/4

SOVEREIGNTY

The European Union's Data Act has been in force since January 2024 and applies from September 2025. It forces cloud providers to remove the obstacles to switching. It also bans switching charges - including the egress fees that made leaving expensive - outright, from 12 January 2027. Google dropped exit fees in January 2024, with Amazon and Microsoft following that March - though all three require an application. Britain's competition regulator had opened a cloud-switching investigation in October 2023; it closed in July 2025, finding that egress fees and technical barriers harm competition. When two jurisdictions have to legislate your right to leave with your own records, the practice being legislated against was real.

We will be straight with you about the limits of that. The Data Act is European law. It does not protect a plant in Florida, and neither does anything equivalent here yet. Your protection in this country is whatever your contract says, which means it is only as good as the company that signed it and the company that eventually buys them. When the AI firm Builder.ai went into insolvency in 2025, customers reported they could not retrieve their own material. "Your data is yours" turned out to be a sentence, not a mechanism.

"We will not hold your data hostage" is a promise. Not being able to hold it hostage is an architecture.

WHY WE BUILT IT OFFLINE-FIRST

✓ GOLD

That is the entire reason we built ours the way we did. We do not have a lever to pull. There is no account to suspend, no export queue to slow-walk, no egress invoice to send, because the record was never ours to withhold. It is on your box, on your tablets, inside your building. If you stopped paying us tomorrow, the history of your floor would still be sitting exactly where it has always been: with you. That is not generosity. It is a structural decision we made on purpose, so that trusting us never has to be part of the deal.

The alternative is not "no software." It is software that treats your data as yours by architecture, not by promise. Start airgapped and stay there if you like. Put the box on your plant network when you want every press sharing one record. Turn on remote access only if it earns its place. Add a cloud only if you want one, only if it is yours, and only ever as a copy. Three tiers, one principle, and the principle never changes: the shop owns the shop's data.

There is a quiet dignity in a system that can say no to the cloud and still be modern. For a security-conscious plant, an airgap is not a limitation - it's a feature. For a rural shop with a poor connection, offline-first is not a compromise - it's the only honest way to run a floor that can't stop when the signal drops. The industry has spent a decade being told "modern" and "cloud" are the same word. They are not. On the press floor, modern means it works when you need it and it belongs to you afterwards.

So answer the question on purpose. Not out of fear - out of ownership. Your floor data is one of the hardest assets you have. Decide where it lives before someone else's acquisition decides for you.

DOMAIN EXPERTISE

Built by the People Who *Ran It*

There is a reason press floors have learned to distrust software, and it is not stubbornness. It is memory. They have watched systems arrive that were clearly designed by people who had never stood at a press at two in the morning.

The failure rate is not a secret and it is not small. Gartner forecasts that by 2027, more than seven in ten recently

implemented enterprise resource planning initiatives will fail to fully meet their original business case. In this industry, "the new system" is a phrase people say the way they'd say "the recall."

And it is not theoretical. When Revlon went live with a new ERP at its Oxford, North Carolina plant in 2018, the resulting service disruptions cost it 64 million dollars in net sales by its own accounting and forced it to disclose a material weakness in financial controls; shareholders sued, and a federal judge dismissed the case in 2020. When Hershey's new systems went live in 1999, the company could not ship roughly a hundred million dollars of Halloween candy it already had in stock. These were not fly-by-night vendors. These were the

biggest names in enterprise software, with the deepest benches and the largest budgets, and the floor still stopped.

The recurring diagnosis is never bad code. It is that the system was not built around how the work is actually done.

WHY THE FLOOR STOPPED TRUSTING SOFTWARE

× RED

Read the post-mortems and the same sentence keeps surfacing in different words: the system was not built around how people actually work. Not a technical failure. A comprehension failure. Somebody modelled the plant from a conference room, shipped it, and discovered that the map was not the floor.

The quiet evidence for this is what happens after the invoice clears. Nextthink, looking at more than 30 common tools, found half of all software licences unused. Gartner has estimated roughly a quarter of annual software spend goes the same way. That is not a procurement problem. That is what abandonment looks like on a balance sheet: people were handed a tool, they tried it, and they went back to the clipboard and the grease pencil, because the clipboard understood the job better.

OUR HONEST CAVEAT ⊞ GREY

Small does not mean right

We are not going to insult you with the argument that being small automatically makes us good. It does not. Plenty of small vendors have shipped bad tools, and plenty have folded and taken their customers' access with them.

Domain expertise is an edge, not a guarantee. What makes it more than a slogan here is that you can check it. Ask us something only someone who has run a press would know. The answer arrives without a pause, or it does not.

We are not a large enterprise, and we are finished pretending that is a weakness we need to talk around. We ran the operation. We stood on the floor. We watched a job go to waste for reasons nobody could name afterwards, and we watched the one operator who could have named it retire in the spring.

Every design decision we have made came out of that room. It is landscape on a tablet because that is how you hold something with one hand while a press runs. It works with no connection at all, because the signal in a pressroom is a rumour. And it tiers up the moment there is one, because a plant running six presses should be reading one record and not six. It never asks the operator to type a paragraph, because nobody is typing paragraphs at 3 a.m. with a job drifting.

None of that is genius. It is just proximity. You cannot design for a floor you have never worked, and you cannot fake having worked one in front of somebody who has. That is the whole argument, and it is also its own test. Put us in a room with your best operator. They will know within ten minutes whether we are telling the truth.

By the operators. For the operators. We have stood on that floor. We have seen the waste. We built the fix.

OPERATOR'S PERSPECTIVE

The Questions Nobody Could Answer

These are composite questions, illustrative of what operators across many floors actually ask, not verbatim quotes from any one named person. The pattern is real to anyone who has stood at a press waiting on an answer nobody had.

These are not rare questions. Ask five operators across five plants and you will hear the same five, worded slightly differently. What is rare is a real answer. Here is what actually gets asked, and why nobody has ever been able to say more than "probably."

"Did the wash guy actually get to this one?" A cabinet washer runs on a timer, not a stopwatch someone is watching. The roll comes out looking clean. Whether it ran the full cycle, or ran at all, lives in one person's memory until that person forgets, or leaves.

"Why is the colour drifting when nothing on the press changed?" Ink is the same. Plate is the same. Impression has not moved. The one variable nobody is watching is the one that is actually changing: cell volume, dropping unrecorded, invisible until the reject prints.

"Is this the same roll we ran last month, or a different one that looks the same?" Two anilox rolls at the same specification look identical from two feet away. One is fresh off the engraver. One is nine months into wear. Nothing on the roll itself tells you which.

"What happens if I hand this off and the next shift does not know what I know?" It usually just does not transfer. Not with the roll. Only if you remember to say it, and if the next person remembers to listen, over the noise of a floor at shift change.

"When do we actually resurface this thing? Before it is a problem, or after?"

Almost always after. Nobody schedules a resurface off a hunch.

They schedule it off a reject, which means the plant already paid for the answer before it got one.

It is not just the floor that cannot answer these. Go over the operator's head, straight to the people who sell the equipment, and the answers do not get much better.

"Did this cycle actually restore volume, or just move the dried ink around?"

Washing and measuring are two different jobs, and nothing in a wash tank does both.

BRIO Ultrasonics' own materials promise 100 percent volume recovery on every cycle, and that is a fair claim to make about the chemistry. It is just not a claim the machine itself can check.

Cleaning time is set by a timer tuned to line count, not a reading of what this specific roll needed that day. Harper Corporation's own guidance puts it plainly: roughly 3 minutes for an 800-line roll, up to 20 for a 200-line, with a warning that over-washing can damage the cells through cavitation. That is not a knock on the washer. It is just a different job than measuring, and no tank does both.

"Ask the company that made the roll. How many good washes does it have left?" They can tell you the spec on the day it left their shop: line count, volume, BCM. After that, seeing the roll again means scheduling a visit and paying to have it measured by hand. That is a reasonable way to run a business. It just means the default state, between visits, is that nobody has looked. Not the plant, and not the people who made it either.

None of these are trick questions. They are the ones that come up every week, on every floor, asked of everyone from the operator next to you to the companies that build the equipment. They go unanswered for the same reason every time: nobody wrote any of it down.

THE DIRECTION

The Instrumented Pressroom

The tools to give a press floor a memory are no longer exotic or expensive. What's changed is not the ambition. It's the cost of doing it right - locally, ruggedly, and without surrendering the data.

For years the honest answer to "why isn't the pressroom instrumented like the rest of the plant" was cost and fragility. Real shop-floor software was scarce, and what existed was built for the office, not the web line. Verification hardware was industrial-grade and priced to match. So the anilox stayed on the grease-pencil standard while everything upstream and downstream got smarter. That gap has quietly closed, and it closed from three directions at once.

RUGGED, OFFLINE-FIRST, AND BUILT FOR LANDSCAPE

The first shift is the device. A modern rugged tablet runs the application. It works with no connection at all. It captures what happens as it happens - roll mounted, volume checked, washed, handed off - in the operator's own workflow. The layout is built for a press floor, not a desk. Offline-first is the key

phrase. The floor cannot depend on a connection that drops. The record has to be captured locally, first, always, and sync when and if it makes sense.

CLEAN-CYCLE VERIFICATION

[→ BLUE](#)

The question is not "did we clean it." It is "can you prove it."

Every plant already believes its rolls get cleaned. Almost none can produce a record that survives a customer audit. The gap between those two sentences is where the waste lives, and it is not a hardware problem. It is a proof problem.

A Clean-Cycle Verification Device sits at the cleaning station and closes it. The clean is confirmed, timestamped, and written into the roll's permanent record without asking an operator to remember anything. What you get is not a reading. It is an auditable fact: this roll, this method, this long, this shift.

The second shift is verification. A Clean-Cycle Verification Device belongs to the cleaning station, not the press, which is why washer count and press count are two different numbers on a quote. It confirms the clean happened and hands that confirmation to the record. The verification stops depending on the honour system and starts depending on evidence. Multiply that across the events that matter and the floor begins to describe itself in a stream the shop actually owns.

The shift is from hunting defects after they print to managing condition before they do.

THE CHANGE THAT MATTERS

The third shift is philosophy: edge over cloud, by design. Once capturing data locally is cheap and reliable, the reflex to send everything to a distant server looks less like progress and more like a liability you took on for no reason. Keep the intelligence at the edge - on the tablet, on a local server in the building - and the floor keeps running when the internet doesn't, and the data stays where it was made. The cloud becomes a choice you can make, on your terms, not a dependency you inherit.

Put the three together and the picture is not science fiction. It's a pressroom where the anilox has a memory, where wash compliance is a fact instead of a hope, where a shift handoff is a record instead of a rumour, and where all of it lives on hardware the shop controls. The change underneath is simple

and it's the whole point: the floor stops hunting defects after they print and starts managing condition before they do.

THE KNOWLEDGE THAT WALKS OUT THE DOOR

There is a second wave arriving on the plant floor right behind the instruments, and it comes making big promises: artificial intelligence for manufacturing, for print, for the pressroom. Most of it was trained on the book. Published flexo theory, generic best practice, everything the industry has ever written down. It can recite all of it on command. And it knows nothing about your plant.

It does not know that this roll from this vendor plugs faster in August humidity. It does not know that number-two runs light on the brown, or the particular fix your best operator reaches for when a solid goes mottled at speed. None of that was ever written down. It lives in heads.

It is tribal knowledge - the most valuable and most fragile asset on your floor - and it walks out the door at every retirement and every seven o'clock when the good operator goes home. A model trained on the internet cannot recover what your own shop never recorded.

Generic AI knows everything about flexo, and nothing about your flexo.

WHERE WE STAND

GREY

That is the other end of the problem, and it is where a memory changes everything. The answer is not a smarter generic model. It is the capture layer underneath it. Every wash logged, every volume read, every roll's history, every handoff recorded - an audit trail is tribal knowledge finally written down, structured, and kept where it was made instead of carried out the door.

THE PIPELINE

From audit trail to the engine

Raw capture first: every wash, every volume, every handoff, timestamped and owned. Methodology next: the record compounds into how this floor actually runs. Then the engine it feeds - plant-local, air-gapped, no cloud inference - built to turn that history into standards.



THE PART WE KEPT OUT OF THE ARGUMENT

CADE AIS

ANILOX INTELLIGENCE SYSTEM

This is the memory. Every roll gets a history: every wash verified, every volume read, every handoff recorded, on your hardware, in your building, working with the connection down. It is one of five intelligences in an Operational Intelligence Layer. The other four, and the engine they feed, are not the subject of this issue.

MODULE 01

EVERY STATION /

Because a record that compounds is not just history. It becomes an engine, built to turn the methodologies your floor captures into a system that actually knows your plant, for the simple reason that it is built from your plant. That is intelligence worth having: not what the internet knows about flexo, but what your floor knows about itself. And because the data never leaves the building, the engine is yours - not fuel for a vendor's model your competitor rents next quarter.

That is the direction of travel, and it is already underway. **CADE AIS** is one of five intelligences in an Operational Intelligence Layer built for a place most systems still overlook: the floor itself, offline-first, in the operator's hands. The rest is execution - and, encouragingly, it's execution any independent shop can now afford, on hardware and knowledge it owns outright.

BEHIND THE REVEAL

Your Operators Ask *Why.* So Did We.

Page 17 says this was built by people who ran the operation. That is a large claim to make about yourself and then leave sitting there. So here is who "we" is, and why it matters to the thing you are being asked to trust.



KIMBY CRUZ LAPIRA

CHIEF ARCHITECT AND FOUNDER · 27 CREATIVE STUDIO

TAKEN OVER AND REBUILT, SELF-TAUGHT, BEFORE I COULD DRIVE

An open-world MMO RPG. SQL back end, C-sharp and C++ in Visual Studio, 3D modelling. Persistent world, many players acting at once, one authoritative state, and a network that drops.

STARTED ON THE FLOOR AS

Temp helper. No contract, no secured future.

THEN WORKED

Folder / Rewind Operator · Utility Tech · Ink Tech · Press Operator · Pre-press · Console · Imaging. Almost every role the floor had.

STILL DO

I write the code that ships. Every release.

BASED

Lakeland, Florida. The same press floors this issue is about.

27 CREATIVE
STUDIO

FIG. 06 · THE FOUNDATION

Somewhere on your floor right now, someone is watching a job drift and asking why. Not out loud, and not to a supervisor. To themselves. They will chase it, find it, fix it, and tell nobody, because there is nowhere to write it down and nobody has ever asked them to.

That question is the entire reason this company exists. We were the same people asking it. What if. Why. The ones your operators are asking on your floor this week.

WHAT I ACTUALLY TOOK OVER AND REBUILT BEFORE I COULD DRIVE

I taught myself to build software as a teenager, before I was old enough to hold a licence. On its own that is a nice line and proves nothing. What I took over and rebuilt is the part that matters.

It was not a puzzle game. It was an open-world MMO RPG: a SQL back end holding the state, C-sharp and C++ in Visual Studio, 3D modelling for the world itself. Strip the entertainment off that and look at what is underneath.

A persistent world that keeps existing after you close it. Many people acting on the same world at once, from different places. One authoritative record of what is true, which everyone has to agree with. And the hard part: what happens when someone drops off the network in the middle of doing something, and comes back expecting the world to have kept its promises.

Read that list again with a press floor in your head. State that outlives the shift. Many operators touching the same asset from different stations. One record that has to stay true or it is worse than nothing. A network that will drop, because it is a pressroom and that is what pressrooms do to signal. I had already taken that system over and rebuilt it, for a world that did not exist - and then walked around inside it and looked at what I had made. This one is real, and I have stood in it holding a clipboard.

Being self-taught is not a credential. It is a habit.

When a machine does not behave as expected, I do not immediately work around it, and I do not force it. I observe, measure, ask questions, and keep digging until the cause makes sense.

I respect the manual because it explains how the machine was designed to operate. But I also know every press develops its own personality over years of production, maintenance, wear, and operator decisions.

Experience is not ignoring the rules. It is understanding where the rules end and where real production begins.

The best operators do not challenge limits for the sake of proving they are different. They challenge assumptions by testing ideas safely, documenting results, and improving the process without sacrificing quality, safety, or reliability. That is the phrase I ended up owning: break limits, prove possibilities. Not break things - prove what is possible past the point everyone else accepts as the limit.

I do not try to be the smartest person in the room. I try to understand the process well enough that tomorrow's operator has an easier day than I did today.

THE WORLD I REBUILT -> THE FLOOR I STOOD ON

Persistent world -> State that outlives the shift

Multi-player, one truth -> Multi-operator, one record

Authoritative state -> The record that has to stay true

A network that drops -> A pressroom

There is one more thing, and I will say it plainly rather than dressed up. I grew up behind everyone, watching things move in front of me. That is not a hardship story and I do not tell it as one. It is the explanation for why the line on page 04 was obvious to me and is apparently not obvious to this industry. Spend enough time at the back of the line and you develop a very exact eye for who is moving and who has been standing still for a decade without noticing.

I walked onto a press floor and recognised the position on sight. Every other machine in the building had learned to keep its own records. The most important one in it had not.

I knew what that looks like from the inside, and I knew the thing worth knowing about it: being behind is not the same as being incapable. Usually it just means nobody ever built you the thing.

**THEN I WENT INTO PRINTING.
AT THE BOTTOM.**

Not as a consultant. Not on a plant tour. Not for a two-day discovery workshop with a notebook.

I started as a temp helper. No contract, no secured future, the job that exists because somebody has to do the part nobody else wants that day.


Then I worked almost every role the floor had. Folder / Rewind Operator. Utility Tech. Ink Tech. Press Operator. Pre-press. Console. Imaging.

That list is the argument, so it is worth reading twice. Most people who give this trade a decade spend it becoming excellent at one station. The press hand knows the press. The pre-press hand knows the file. The ink tech knows the ink. Each of them can tell you precisely what happens at their station and can only guess at what happens upstream of it - which is exactly where the waste lives. Not in the stations. In the handoffs between them, which nobody owns.

I worked all of them. That is not a longer career than anyone else's. It is a different shape of career, and it is the reason this system has no blind spot at the seams. The seams are where the decade went.

Page 04 says this trade is not a decade behind, it is an era behind. That is not a line I read somewhere and liked. I worked every station of the room while it was true, holding a clipboard, in a building where every other machine had already learned to keep its own records.

And the same question kept coming back. Why is it doing that? Only now nobody could answer it, because nobody had written anything down. The knowledge was real. It was just trapped in somebody's head, and it walked out at the end of the shift.



WHY THE COMBINATION IS THIN ON THE GROUND

Look at who builds software for the press floor.

Mostly it is built by software people. Good ones. They visit a plant, take notes, interview an operator for an hour, and go home to build. What comes back is often technically excellent and quietly wrong - wrong in ways only somebody who has stood there at 3 a.m. can name. It asks for data the operator does not have. It assumes a decision tree the floor stopped using years ago. It falls apart at the exception, because the exception was never in the interview.

The other side is served worse. The deepest knowledge in your building lives in people who will never write a line of code, and it retires when they do.

The overlap - people who can build the system and have also run the operation - is close to empty. Not because either trade is unlearnable. Because almost nobody does both. Software people do not spend years on a press floor. Press people do not spend years writing software. The two populations barely touch.

We are not claiming to be cleverer than either group. The claim is narrower and more useful than that: we did not have to be told.

WHO ELSE IS IN THE ROOM

One person's habit is not a company, and page 17 says people, plural. So it is worth being specific about what stands behind this.

Four domain experts in flexography - whose entire working lives are this trade, not a market segment somebody researched for a quarter - one of them on hardware and integration, one on full-stack architecture. A bench engineer who proves every box before it ships. An early adopter on AI and machine-learning integration. A lead consultant out of a major technology company. A controller out of a global operation, on the financial side and the internal controls.

That last one is less obvious than it looks. A compliance record designed by somebody who has never sat on the wrong end of an audit is a compliance record that fails an audit. We would rather find that out now than find it out in your conference room with a customer's auditor across the table.

WHAT THAT ACTUALLY CHANGES

It shows up in small places. The system does not ask you to describe your own floor to it before it becomes useful. It already assumes the roll comes off dirty and goes back on with no record. It already assumes the answer to "which roll was that" is a shrug, and that the shrug costs money.

It does not care whose press you run, whose rolls you buy, or whose measuring gear is already on your bench - because a system that only works with one manufacturer's equipment is that manufacturer's sales tool wearing a record-keeping costume. It runs in landscape and expects to be held one-handed, because the other hand is on the job. It assumes no signal, because a pressroom is where signal goes to die.

None of that came from a requirements document. It came from the room.

THE METHODOLOGY ALREADY EXISTS.
NOBODY MADE IT RUN.

Here is the part worth being precise about, because it is the whole difference and it is easy to overclaim.

We did not invent the knowledge. This trade has known how to look after an anilox roll for decades. The methodology exists. It is written down. It sits in binders, in SOPs, in the appendix of a consultant's report, in the training deck nobody opened twice.

And that is exactly the problem. It gets sold to you as paper. Paper gets read once, gets agreed with, gets filed in the drawer under the bench, and collects dust for another ten years while the floor goes on doing what the floor was already doing. Nobody is lying to you. The paper is often usefully correct. But paper cannot run.

It cannot watch the roll come off the press. It cannot know that this is the third clean this week. It cannot tell the next shift what it saw, because it did not see anything - somebody had to see it, and then remember to go and write it down, and they were busy saving a job.

What we are doing is taking that methodology off the page and building it as an engine that runs. Live, on the floor, in the operator's hands, while the job is happening - not a description of the practice, the practice itself, executing. The record writes itself because the work happened, not because someone remembered to write it down afterwards.

That is a smaller claim than "we thought of this first" and a much larger one than it sounds. The industry has the knowledge. What it has never had is the knowledge running.

DONE IS NOT THE SAME AS DONE RIGHT

There is a difference between finishing a thing and getting it right, and from outside the building the two look identical. Right costs more. It takes longer. It means deleting work that functions, because functioning and correct are not the same word. You will never see the versions we threw away, and that is the point of throwing them away.

We only raise it because you have been sold the other kind before. Software that demos beautifully and comes apart at the exception. A record that satisfies a checklist but not an auditor. That version is faster to build and cheaper to sell, and it is most of why a press floor stops believing vendors somewhere around year three.

You should still check us. Everything in this magazine stands on its own evidence, and none of it asks you to take our biography on faith. But when you get to the end and ask why this exists and not something else - this is the answer. Somebody kept asking why, in two different rooms, twenty years apart, and eventually built the thing that writes the answer down.

BEHIND THE REVEAL

The Questions We Get in the *Parking Lot*

Every vendor has a pitch. These are the questions that come after it - once the laptop is shut and we are walking back to the truck. We would rather answer them here, in print, where you can hold us to the answer.

You have read the whole case, and it never once needed our product to be true. Now that you have seen it, you are owed the answers to the questions nobody asks in the conference room.

ARE YOU AGAINST AI?

No. We are against AI aimed at the wrong problem.

Page 13 has the only number that matters. On the same set of scans, the people missed twelve cases. The machine missed forty-five. Not the same twelve. Not the same forty-five. Missed by both: zero.

That is not a story about one being smarter. It is two different kinds of blindness that happen not to overlap. Stand them side by side and neither kind of blindness gets the last word.

So no, we are not against the machine. We are against the assumption that the machine is the point. The operator is the point. The machine is the thing that finally gives them a memory.

ARE YOU HERE TO REPLACE THE OPERATOR?

The opposite, and we will say it plainly: a system that could replace your best operator is a system we do not know how to build, and would not ship if we did.

Page 11 is the argument. The press does not know the exception. Every rule you write covers a case somebody already thought of. The floor runs on the cases nobody thought of - at two in the morning, on a substrate that came in wrong, for a customer who needs it by six.

That is judgment. Judgment is not a rule with more steps in it. We are not automating it. We are handing it better information and then getting out of its way.

Leave the floor better than we found it.

THE DATUM. SET BEFORE THE FIRST LINE OF CODE.

✓ GOLD

ARE YOU CLAIMING NOBODY HAS EVER DONE THIS?

No. And we would be very easy to catch if we did.

The roll manufacturers have tools. The MIS vendors have modules. The consultants have binders, and some of those binders are good. Anilox data is not an idea we discovered, and anybody whose software claims to have invented a forty-year-old trade practice is selling you something.

Here is the claim we will make. It is deliberately narrow, because narrow is checkable. We have not found another system that is all three of these at the same time: hardware-agnostic, offline-first, and built for the operator's hands rather than for the office.

Each of those is a decision most vendors make the other way, and not out of stupidity. Hardware-agnostic means the software cannot be used to sell you rolls. Offline-first means your data cannot be held as leverage. And building for the operator means building for the one person in the building who does not sign the purchase order - which is, we think, the actual reason this layer does not exist yet. Software gets built for whoever holds the budget. On a press floor, that is not the person who needs it.

So: not the first to think about the anilox. We intend to be the first to hand the floor a system that runs on it without asking the floor to give anything up in return. If one already exists, we have not found it, and we would sincerely like to see it.

WHY DOES THE DATA STAY IN OUR PLANT?

Because it is yours.

Your layouts, your inks, your rolls, your customers. None of it leaves the building. Per-job evaluation is computed on the fly and never stored - and not because we are being generous. Because the moment your run data becomes our asset, we acquire a reason to want more of it than you meant to give. We would rather never have that reason.

Ask this of every vendor who walks through your door. Ask where the data goes. Ask who else can see it. Ask what happens to it the day they get bought. Then ask us the same three, and see whether the answers change.

01 Hardware-agnostic

CANNOT SELL YOU ROLLS

02 Offline-first

DATA IS NOT LEVERAGE

03 Operator-first

HANDS, NOT THE BUDGET

THE THREE DECISIONS MOST VENDORS WILL NOT MAKE TOGETHER
IF ONE ALREADY EXISTS, WE WOULD LIKE TO SEE IT

WHAT HAPPENS IF YOU GET BOUGHT?

The honest answer is that we cannot promise you our intentions, so we did not build a system that depends on them.

It runs with no connection to us at all. It runs on hardware you chose and own. It runs if we stop answering the phone. Your records sit on your box, in a format you can open without us, for as long as you keep the box. That is not a courtesy we are extending. It is the architecture - and architecture keeps promises that people cannot.

WHO ACTUALLY BENEFITS FROM THIS?

Fair question to ask of anybody who hands you a magazine. Here is the ladder, in order. We are not at the top of it.

The operator, first. Not as a courtesy. They are the only part of this operation with no backup. Every other thing in the building is instrumented, logged, warrantied and serviced. The person carrying the roll's entire history in their head is not. This gives them somewhere to put it in the eight seconds they actually have, and then gives it back - to them, and to whoever is on nights.

The plant, second. Waste nobody could point at becomes waste with a date on it. That is the whole distance between an argument and a decision.

Whoever owns the plant, third. The record becomes an asset that belongs to them, compounds quietly, and does not resign.

And then the part almost nobody is planning for.

Every layer this industry is currently excited about - the models, the twins, the predictive everything - runs on data from somewhere. Ask a vendor selling you an intelligent future: where does its ground truth come from? Watch the answer go soft.

Those systems will demand real, factual, accurate data about what actually happened on your presses. Not estimates. Not a tidy summary somebody assembled on Friday out of memory. What happened, when, to which roll, at whose hands, and whether the clean worked.

So who serves that?

Today, nobody. The clipboard cannot. The MIS cannot - it never saw the roll. The one man who knew goes home at seven and takes the archive with him. Every intelligent thing being built on top of a press floor is being built on a foundation of shrugs, and the people building upward have not looked down.

That is the work. Not the dashboard. The layer underneath it, where somebody has to make the floor tell the truth about itself - consistently, forever, without turning an operator into a data-entry clerk. Get that wrong and everything stacked above inherits the error, politely, at scale, and calls it insight.

And us? Fourth. We benefit if this turns out to be worth paying for, and we are not going to pretend otherwise. But the order is not decoration. It is the design. A system built to benefit us first would look different, and you would be able to tell: it would need our cloud, it would prefer our hardware, and it would be very interested in your data.

One last thing, since you asked. What you do affects what is around you. That is not a poster, it is just how a floor works. A clean cut short on nights is a reject on the next shift, is a customer call on Tuesday, is a press hand getting blamed for something that started three shifts upstream of him. It travels. And it travels the other way too: the one person who writes it down changes the shift around them, and the shift changes the plant. Presence is contagious, whichever kind you bring to the room. So you build in good intention, or you find out what the other thing spreads.

WHAT DO YOU ACTUALLY WANT?

We have stood on that floor. We have seen the waste.
We built the fix.

That is not a tagline. It is the whole biography. We stood at those presses. We chased density at three in the morning. We watched a roll come off, get cleaned, and go back on with nobody writing down which roll it was or what it was doing when it came off. Then we watched the same argument happen six weeks later, with nothing on paper to settle it.

Nobody was being careless. The floor was doing its best with the only instruments it had: a clipboard, a grease pencil, and one man's memory. And

that memory walks out of the building the day he retires.

That memory is the thing we are trying to keep.

THE MARK WE MEASURE FROM

Before surveyors build anything, they sink a datum into the ground. A brass disc in concrete that does not move. Everything afterward is measured from it, and when the argument starts about whether the wall is true, nobody argues. They walk back to the datum.

We set ours before we wrote a line of code, and it is one sentence: **leave the floor better than we found it.**

Not richer. Not more automated. Not more impressive in a demo. Better - which means the operator who has given this trade twenty years should finish a shift with more of their craft intact than they started with, not less. It means the person who knows why roll 14 runs hot should be listened to more after we arrive, not less. It means the pressroom keeps its own name for things.

If we ever ship something that makes a floor smaller, quieter, or more afraid, we will have missed the datum - and no revenue number will make that untrue.

You do not have to take that on faith. You are holding an argument that stands up whether or not you ever buy anything from us. Check them. Then check us against them.

CADE AIS

ANILOX INTELLIGENCE SYSTEM

DEPLOYMENT READY

PLANT 0

CADE AIS is one of five. The anilox is *where it starts.*

CADE AIS LIVE

27 Creative Studio builds the Operational Intelligence Layer for the flexographic press floor: the layer above MIS and ERP that turns the floor into decisions while the run is still live. MIS counts the jobs. ERP counts the dollars. Neither one can tell you why a run is turning to waste while it is still running, while it can still be saved. We built this to close that blind spot. Not from a spec sheet. From the floor.

R.SPECTRUM NEXT

The stack is five intelligences. Two are announced: CADE AIS and R.SPECTRUM. The other three are built and not yet named in public. CADE AIS is the anilox intelligence, the subject of this issue. A roll can look flawless and still print wrong. CADE AIS catches the difference before it turns into waste, and the record it keeps can be added to but never quietly altered. Its data map is built to feed the plant-local, air-gapped intelligence that will turn your floor's own history into the standards that keep it running right. No cloud. The knowledge stays on the floor instead of walking out the door.

FACTORING 0

We are not a large enterprise and we are not trying to become one. We are a small group of domain experts who ran the operation before we built the software for it. That is the whole credential, and it is the one that matters on a floor: the machine remembers, so the operator decides. Human judgment and machine memory, coexisting on purpose. Neither one is worth much without the other, and we have never met a piece of software that could tell you why the ink is behaving strangely tonight.

PLANT ○

CADE AIS runs end to end today - app, box, tablet and device - and it runs standalone. R.SPECTRUM is next.
The full platform follows.

*We have stood on that floor. We have seen the waste. We built the fix.
If the thesis rang true, we would like to hear how it reads from your floor.*

CADE AIS LIVE ○

BY THE OPERATORS. FOR THE OPERATORS.

KIMBY LAPIRA · 27 CREATIVE STUDIO · LAKELAND, FLORIDA

EVERY SOURCE, LINKED: [27CREATIVE.STUDIO/HEARTBEAT-01/SOURCES](https://27creative.studio/heartbeat-01/sources) · FIGURES CITED TO PAMARCO, ARC, AALBERTS, HARPER AND APEX ON ANILOX THRESHOLDS; THE OREGON EMPLOYMENT DEPARTMENT CITING FEDERAL PROJECTIONS; DELOITTE WITH THE MANUFACTURING INSTITUTE; HARVARD, WHARTON, MIT AND BCG; THE JOURNAL OF CLINICAL MEDICINE; BAINBRIDGE (1983); THE WORLD ECONOMIC FORUM WITH INDEED'S HIRING LAB; IBM AND PONEMON; STANFORD CODEX WITH TERMSCOUT; GARTNER AND NEXTHINK; THE FEDERAL TRADE COMMISSION; MCKINSEY; AND THE GRAPHIC COMMUNICATIONS WORKFORCE COALITION

R.SPECTRUM NEXT ○

27 Creative Studio LLC · Lakeland, Florida
info@27creative.studio · 863-869-2727

© 2017-2026 27 Creative Studio LLC. All rights reserved.
Proprietary and confidential · Patents pending

FACTORING ○

Issue No. 01 · Twenty-seven is the studio, not the page count.

The Index

What each folio argues, and the words the floor uses without stopping to define them. If you are handing this to someone who has never had the vocabulary explained, start them here.

ALL TWENTY-SEVEN FOLIOS

.	Contents What each folio argues, and the disclosure in small type up front. In This Issue · folio 02
.	We Use Your Stack Light, Not Our Palette Six colours, one job each. Taken from the standard your machines already use. How to Read This · folio 03
00	Everything Is Awake But the Pressroom Why the one room with a beating heart is still on a clipboard. Statement of Intent · folio 04
01	The Heartbeat of the Press Everyone calls the anilox the heart of the press. Almost no one measures it. Lead Thesis · folio 05
02	The Hidden Ledger The rejected job is the visible tip. The real cost came months earlier. Economics · folio 07
.	Four numbers, and one argues against us Every figure in this issue, sourced. Including the one that cuts the wrong way. The Receipts · folio 09
03	The Machine Doesn't Know the Exception Employment is falling. Judgment is not the thing being automated. The Automation Question · folio 11
04	What AI Is Actually For Thirty percent better on the right work. Nineteen points worse on the wrong work. Coexistence · folio 13
05	Whose Data Is It Anyway? Ninety-two percent of AI contracts want your data. Ask who owns yours. Ownership · folio 15
06	Built by the People Who Ran It Seven in ten rollouts miss what they promised. The diagnosis is never bad code. Who Builds It · folio 17
07	The Questions Nobody Could Answer Questions the floor asks, taken to the people who sell the equipment. From the Floor · folio 19
08	The Instrumented Pressroom From hunting defects to managing condition. Edge over cloud, by design. What's Next · folio 21
09	Your Operators Ask Why. So Did We. Folio 17 makes a claim. This is the proof, and why it is thin on the ground. The Foundation · folio 23
10	The Questions We Get in the Parking Lot Plain, honest, straightforward - set in print so you can hold us to them. Clarity · folio 25
.	CADE AIS Is One of Five The anilox is where it starts. The case was made before you met it. Conscious Ops Intel · folio 27

PLAIN TERMS

ANILOX ROLL

The engraved metal or ceramic roll that meters ink onto the plate. Its cells set how much ink reaches the substrate.

CELL

One engraved well in the anilox surface. Millions of them. Each holds and releases a measured amount of ink.

CELL VOLUME

How much ink the cells hold, per unit area. It falls as cells wear and score. It is the number this issue is about.

BCM

Billion cubic microns per square inch. The unit cell volume is quoted in. A roll engraved at 2.4 BCM does not stay at 2.4.

LPI

Lines per inch. How finely the roll is engraved. Higher LPI means smaller cells and finer detail.

DOCTOR BLADE

The blade that wipes surplus ink off the anilox so only the cells carry ink. Worn blades and worn rolls compound.

MAKEREADY

Everything between one job finishing and the next running to standard. Time on the clock producing nothing saleable.

PLATE LIFE

How long a printing plate holds tolerance before replacement. Shortens when the roll it runs against has drifted.

WASH CYCLE

Cleaning ink and dried residue out of the cells. Done well it restores volume. Done badly it removes the roll.

RESURFACE

Stripping and re-engraving a worn roll. Cheaper than replacement, and only possible if you know when to do it.

DRIFT

Slow loss of cell volume over months. No alarm, no event. The reason it surfaces as an ink or plate problem instead.

STANDARD COST

The budgeted cost a job is measured against. Drift is absorbed into it, so the loss shows as normal.

VARIANCE

The gap between standard cost and actual. Where drift finally appears, attributed to the wrong cause.

THE ENGINE



CONSCIOUS ADAPTIVE DOMAIN ENGINE

FIVE INTELLIGENCES · ONE LAYER · FIRST MODULE OUT

IF IT RANG TRUE ON YOUR FLOOR

CHECK US 27creative.studio/heartbeat-01/sources
Every figure in this issue, linked to its primary source.

TELL US info@27creative.studio · 863-869-2727
How it reads from your floor. Correction beats agreement.

ASK US The question nobody could answer
We answer in writing, or we say we do not know.

BY THE OPERATORS. FOR THE OPERATORS.

27 CREATIVE STUDIO · LAKELAND, FLORIDA · THE HEARTBEAT OF THE PRESS · ISSUE NO. 01

All company and product names are the marks of their respective owners. Their use here is editorial and implies no affiliation or endorsement. Figures and quotations were accurate to their sources on the date of publication; anything that changed afterwards is outside this issue. Nothing here is legal advice. CADE and CADE AIS are trademarks of 27 Creative Studio LLC. Corrections: write to info@27creative.studio. Any correction we make is published at 27creative.studio/heartbeat-01/sources.